



Premstaetten, October 11, 2021

PCN83-2021 - Change on the NanEye label information

Dear Customer,

Please be informed about the upcoming change on the NanEye Shipping label.

Change Description

The FZ lot number on the Shipping label will be replaced by a Production Work Order number in order to avoid mismatches of the inventory in the Micro Camera production line. Traceability will be assured by Production Work Order number.

New label sample photo

ShipmentID: **80436135** 

Customer: **Boston Scientific Corporation**

Cust Po.: **8097362**

MPN: **302630003**

Lot No.: **WA-N2106013**

Qty: **50**

Mat Desc: **NE2D_RGB_FOV120_F2.8_2.4mCH FTSE**

CustomerPartNo.: 50504600-01 REV B

Ordering Code:
NE2D_RGB_FOV120_F2.8_2.4MCH

  **ATTENTION**
OBSERVE PRECAUTIONS
FOR HANDLING
ELECTROSTATIC
SENSITIVE
DEVICE 

X01004B **PackDate:** 01.09.2021 17:12:00

The following products will be affected

Material Part Number	Material Description
301170084	NE2D_RGB_FOV120_F2.8_0.87m_BSCiv1.3 FTSE
302630003	NE2D_RGB_FOV120_F2.8_2.4mCH FT SE



Please be advised that unless ams receive your written refusal concerning this change notification within 120 days, the change notification shall be deemed accepted.

If you do have further questions, please do not hesitate to contact ams team at any time.

Best regards,

A handwritten signature in black ink, appearing to read 'Peter Crabbe', with a stylized, flowing script.

Peter Crabbe
ams AG
Director Operations CIS